

SAFETY DATA SHEET

Creation Date 21-Aug-2009

Revision Date 24-Dec-2021

Revision Number 5

1. Identification

Product Name

Sodium metasilicate nonahydrate

Cat No. : S408-3; S408-500

CAS No **Synonyms**

Disodium trioxosilicate nonahydrate **Recommended Use** Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

13517-24-3

Details of the supplier of the safety data sheet

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system.

Category 1 Category 1 B Category 1 Category 3

Label Elements

Signal Word Danger

Hazard Statements

May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation



Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Keep only in original container Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Spills Absorb spillage to prevent material damage Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Store in corrosive resistant polypropylene container with a resistant inliner Store in a dry place Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Sodium metasilicate nonahydrate	13517-24-3	>95
Sodium metasilicate	6834-92-0	-

4. First-aid measures			
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.		
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.		
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled		

	the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects	Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	$\rm CO_{2},$ dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Sodium oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health 3	Flammability 0	Instability 0	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions	Use personal protective eq contact with skin, eyes or c		e personnel to safe areas. Avoid
Environmental Precautions		the environment. Do not allow 12 for additional Ecological Inf	v material to contaminate ground formation.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

7. Handling and storage			
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.		
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Incompatible Materials. Strong oxidizing agents.		

8. E	xposure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Solid	
Appearance	White	
Odor	Odorless	
Odor Threshold	No information available	
рН	12.6 1% aq.sol	
Melting Point/Range	72 °C / 161.6 °F	
Boiling Point/Range	No information available	
Flash Point	No information available	
Evaporation Rate	Not applicable	
Flammability (solid,gas)	No information available	
Flammability or explosive limits		
Upper	No data available	
Lower	No data available	
Vapor Pressure	No information available	
Vapor Density	Not applicable	
Specific Gravity	No information available	
Solubility	Soluble in water	
Partition coefficient; n-octanol/water	No data available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Viscosity	Not applicable	
Molecular Formula	Na2 Si O3 . 9 H2 O	
Molecular Weight	284.19	

10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water.	
Incompatible Materials	Strong oxidizing agents	

Hazardous Decomposition Products Sodium oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions

None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

See actual entry in RTECS for complete information.

Component Information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium metasilicate	LD50 = 1153 mg/kg (Rat)	Not listed	Not listed
Toxicologically Synergistic	No information available		

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure_

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Sodium metasilicate nonahydrate	13517-24-3	Not listed	Not listed	Not listed	Not listed	Not listed
Sodium metasilicate	6834-92-0	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information available				
Reproductive Effects No information available.						
Developmental Effect	cts	No information available.				
Teratogenicity		No information available.				
STOT - single expos STOT - repeated exp		Respiratory system None known				
Aspiration hazard		No information available				
Symptoms / effects, delayed	both acute and,	nd Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation			estion causes	
Endocrine Disruptor	Information	No information available				
Other Adverse Effec	ts	The toxicological properties have not been fully investigated.				

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium metasilicate	Not listed	LC50 = 210 mg/L, 96h (Brachydanio rerio) LC50 = 210 mg/L, 96h semi-static (Brachydanio rerio)	Not listed	EC50 = 216 mg/L, 96h (Daphnia magna)

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.			
Bioaccumulation/ Accumulation No information available.			
Mobility	Will likely be mobile in the environment due to its water solubility.		
	13. Disposal considerations		
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.		

14. Transport information

DOT	
UN-No	UN3253
Proper Shipping Name	DISODIUM TRIOXOSILICATE
Hazard Class	8
Packing Group	III
TDG	
UN-No	UN3253
Proper Shipping Name	DISODIUM TRIOXOSILICATE
Hazard Class	8
Packing Group	III
IATA	
UN-No	UN3253
Proper Shipping Name	Disodium trioxosilicate
Hazard Class	8
Packing Group	III
IMDG/IMO	
UN-No	UN3253
Proper Shipping Name	Disodium trioxosilicate
Hazard Class	8
Packing Group	III
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA TSCA Inventory notification - Active-Inactive	
Sodium metasilicate nonahydrate	13517-24-3	-	-	-
Sodium metasilicate	6834-92-0	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Sodium metasilicate nonahydrate	13517-24-3	-	-	-	Х	-		-	Х	-
Sodium metasilicate	6834-92-0	Х	-	229-912-9	Х	Х	Х	Х	Х	KE-12354

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
California Proposition 65 U.S. State Right-to-Know Regulations	This product does not contain any Proposition 65 chemicals. Not applicable
U.S. State Right-to-Know	

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Sodium metasilicate	-	Use restricted. See item 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Sodium metasilicate nonahydrate	13517-24-3	Not applicable	Not applicable	Not applicable	Not applicable
Sodium metasilicate	6834-92-0	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Sodium metasilicate nonahydrate	13517-24-3	Not applicable	Not applicable	Not applicable	Not applicable
Sodium metasilicate	6834-92-0	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	21-Aug-2009 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS